

*Annual Drinking Water Quality Report for 2023
Watch Hill Water District
(Water Purchased from Town of Fishkill)
Wappingers Falls, New York 12590
Public Water Supply ID# 1302766*

To comply with State regulations, please find attached the Annual Water Quality Report for the Brinkerhoff Water District in the Town of Fishkill. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

The Watch Hill water system serves 137 residences. Our water source is purchased from the Town of Fishkill. The source is three gravel wells in the Brinkerhoff Water District in the Town of Fishkill. During 2023, our system was in compliance with applicable State drinking water operating, monitoring and reporting requirements.

We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town Board meetings. The time and place of the meetings may be obtained from **Joseph Paoloni, Town Clerk, at (845) 297-5772.**

**WE ASK THAT ALL OF OUR RESIDENTS BE VIGILANT AND
REPORT ANY SUSPICIOUS ACTIVITY IN THE AREA OF OUR
WATER TREATMENT PLANT. PLEASE CONTACT LAW
ENFORCEMENT AT 911.**

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements. We ask that all our customers help us protect our water sources, which are the heart of our community. If you have any questions about this report or concerning your drinking water, please contact **CAMO Pollution Control, Inc. at (845) 463-7310.**

*Annual Drinking Water Quality Report for 2023
Brinkerhoff Water District
Fishkill, New York 12524
Public Water Supply ID# NY1302766*

INTRODUCTION

To comply with State regulations, the Brinkerhoff Water District is issuing an annual report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact CAMO Pollution Control, Inc. at (845) 463-7310. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town board meetings. The time and place of regularly scheduled Town Board meetings may be obtained from Becki Tompkins, Town Clerk, at (845) 831-7800 x3338.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amounts of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

FACTS AND FIGURES

Our water system serves 3,788 customers through 950 service connections. Our water source is groundwater drawn from two gravel wells. The two wells have submersible pumps that pump to a pneumatic tank in order to maintain system pressure. The supply of water fully met all demands in 2023

The treatment of our water consists of disinfection with chlorine to destroy microorganisms. Well #3, our biggest well and the reserve well, has been deemed to be under the influence of surface water and until treatment is provided, we are not able to utilize this well. The New York State Health Department considers this a violation of 5-1.30 and 5-1.9 of Part 5 New York State Sanitary Code. It should be noted that well #3 was isolated electrically and is not in a “ready” state in case of an emergency. In addition to Well #3, the Health Department requires that storage be added to the system. The estimated hardness of your water is between 22-24 grains per gallon.

SOURCE WATER ASSESSMENT

The New York State Department of Health has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The State source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water. It does not mean that the water delivered to consumers is, or will become, infected. See the section “What’s in My Water?” for a list of the contaminants that have been detected, if any. The source water assessments provide resource managers with additional information for protecting source waters into the future.

The source water assessment has rated our water as having an elevated susceptibility to microbials, nitrates, industrial solvents, and other industrial contamination. These ratings are due primarily to the close proximity of the wells to permitted discharge facilities (industrial/commercial facilities that discharge wastewater into the environment and are regulated by the State or Federal government) and to residential land use and related activities in the assessment area. In addition, the wells draw from fractured bedrock, and the overlying soils may not provide adequate protection from potential contamination. While the source water assessment has rated our wells as being susceptible to microbials, please note that our water is disinfected to ensure that the finished water delivered into your home meets New York State’s drinking water standards for microbial contamination.

The County and State health departments will use this information to direct future source water protection activities. These may include water quality monitoring, resource management, planning, and education programs. A copy of the assessment can be obtained by contacting us at (845) 463-7310.

WE ASK THAT ALL OF OUR RESIDENTS BE VIGILANT IN REGARD TO SUSPICIOUS ACTIVITY IN THE AREA OF OUR WATER TREATMENT PLANTS.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological and synthetic organic compounds. In 2020, PFOA, PFOS and 1,4 Dioxane was added to the requirements. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Dutchess County Health Department at (845) 486-3404.

Table of Detected Contaminants							
Contaminant	Violation Yes/No	Date of Sample	Level Detected (Range)	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Inorganics							
Barium	No	11/2021	0.0328	mg/l	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chloride See footnote 4	Yes	2023	259.5 (229-286)	mg/l	NA	250	Naturally occurring or indicative of road salt contamination
Copper See footnote 2	No	09/2021	0.17 (0.0375-0.183)	mg/l	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead See footnote 2	No	09/2021	0.0075 (ND – 0.110)	mg/l	0	0.015	Corrosion of household plumbing systems; erosion of natural deposits
Nickel	No	10/2021	0.0012	mg/l	NA	0.1	Naturally occurring
Nitrate	No	11/2023	2.7	mg/l	10	10	Runoff from fertilizer use; leaching from septic tanks; sewage; erosion of natural deposits
Sodium See footnote 1	No	2023	135.54 (90-258)	mg/l	NA	See footnote 1	Naturally occurring; road salt; water softeners; animal waste
Sulfate	No	11/2023	27.0	mg/l	NA	250	Naturally occurring
Zinc	No	11/2023	0.0091	mg/l	NA	5	Naturally occurring, mining waste
Cyanide	No	11/2021	32.2	Ug/l'	NA	200	Discharge from steel/metal
Synthetic Organic Chemicals							
Contaminant	Violation Yes/No	Date of Sample	Level Detected (Range)	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
			Well 1 Well 2				

Perfluorooctanoic acid (PFOA) (ng/l)	No	2/2023 5/2023 7/2023 11/2023	7.06 4.91 8.26 7.36	5.48 4.98 7.11 7.80	Ng/l	10	AL	Released into environment from use in commercial and industrial applications
			Well 1	Well 2				
Perfluorooctanesulfonic acid (PFOS) (ng/l)	No	2/2023 5/2023 7/2023 11/2023	5.75 4.29 5.87 4.74	5.26 4.30 5.94 4.78	Ng/l	10	AL	Released into environment from use in commercial and industrial applications
Disinfection Byproducts								
Haloacetic Acid\ 1 Summit Ct. Job Lot	No	07/2023	2.6		ug/l	NA	60	By-product of drinking water disinfection needed to kill harmful organisms.
See Footnote 3	No	07/2023	7.0		ug/l	NA	60	
Total Trihalomethanes 1 Summit Ct' Job Lot See Footnote 3	No	07/2023	9.4		ug/l	NA	80	By-product of drinking water chlorination needed to kill harmful organisms. THMs are formed when source water contains large amounts of organic matter.
	No	07/2023	27.6		ug/l	NA	80	
Table of Unregulated Contaminants								
Unregulated Perfluoroalkyl Substances Contaminant	Violation Yes/No	Date of Sample	Level Detected		Unit Measurement	MCLG or Health Advisory Level 1, 2	Likely Source of Contamination	
Perfluorobutanesulfonic acid (PFBS) (ng/l)	No	2/2023	8.26	6.11	Ng/l	NA	Released into environment from use in commercial and industrial applications	
		5/2023	6.31	6.59				
		7/2023	7.47	7.10				
		11/2023	7.17	7.24				
Perfluorohexanoic acid (PFHxA) (ng/l)	No	2/2023	5.15	3.89	Ng/l	NA	Released into environment from use in commercial and industrial applications	
		5/2023	3.71	3.83				
		7/2023	6.09	5.01				
		11/2022	4.50	4.85				
Unregulated Perfluoroalkyl Substances Contaminant	Violation Yes/No	Date of Sample	Level Detected Well 1	Level detected Well 2	Unit Measurement	MCLG or Health Advisory Level 1, 2	Likely Source of Contamination	
Perfluoroheptanoic acid (PFHpA) (ng/l)	No	2/2023	2.10	1.80	Ng/l	10 Ng/l	Released into environment from use in commercial and industrial applications	
		5/2023	1.49	1.67				
		7/2023	2.43	2.04				
		11/2022	1.99	2.37				

Perfluorohexanesulfonic acid (PFHxS) (ng/l)	No	2/2023 5/2023 7/2023 11/2023	1.21 0.86 1.10 1.26	ND 1.02 1.11 1.38	Ng/l	10 Ng/l	Released into environment from use in commercial and industrial applications
Perfluoro-n-butanoic acid (PFBA)	No	2/2023 5/2023 7/2023 11/2023	ND 4.84 6.42 6.00	ND 4.80 5.32 6.03	Ng/l	10 Ng/l	Released into environment from use in commercial and industrial applications
Perfluoropentanoic acid (PFPeA)	No	2/2023 5/2023 7/2023 11/2023	ND 4.03 6.41 4.76	ND 4.26 5.16 5.09	Ng/l	10 Ng/l	Released into environment from use in commercial and industrial applications
HFPO-DA(Gen-X)	No	2/2023 5/2023 7/2023 11/2023	ND ND ND ND	ND ND ND ND	Ng/l	10 Ng/l	Released into environment from use in commercial and industrial applications

Notes:

1 – This is the average of the 22 yearly samples. The test results show acceptable levels of sodium in the water. However, as operators we are concerned with maintaining these levels. Sodium does not have a maximum contaminant level. Sodium levels in the well water are at a level of 140 milligrams per liter. This level will be increased by a water softener, if you have one. Water containing more than 20 milligrams of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 milligrams per liter of sodium should not be used by people on moderately restricted sodium diets. It is the recommendation of the Town that you consult your physician regarding these levels if you are on sodium restricted diet.

2 – The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system. The Maximum Contaminant Level was exceeded by one sample.

3 – Haloacetic Acid and Total Trihalomethanes are sampled at two locations.

4 -This is the average of the 22 yearly samples. As operators we are concerned with maintaining these levels as low as possible. The average chloride level in the water samples collected was 259.5 milligrams per liter. The presence of chloride ions in the drinking water above the maximum contaminant level of 250 milligrams per liter can result in two undesirable aesthetic effects. First, you may detect an objectionable taste of the water. Second, the higher level of chloride may cause corrosion of the pipes within the water system. Softener backwash into septic systems is contributing to the elevated levels of sodium and chlorides in the well water. All homeowners with softeners should check and adjust their softeners in order to limit the amount of brine solution discharged into septic systems and groundwater.

Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table, our chloride yearly average is 259.5 mg/l which is over the regulatory limit of 250. However, samples are taken twice a month, during 2023 there were 15 samples that were collected that were over the regulatory limit which is a violation of Part 5-1 of the New York Sanitary Code. The following dates are the dates that the samples were collected and over the limit, 2/21/23, 3/7/23, 3/21/23, 4/3/23, 4/17/23, 5/8/23, 5/22/23, 6/6/23, 7/6/23, 8/28/23, 9/11/23, 10/3/23, 11/7/23, 11/20/23, and 12/4/23. The chloride levels fluctuate due to natural variations and not due to changes in treatment, the Dutchess County Department of Behavioral and Community Health has deemed that the levels have exceeded and could potentially exceed the MCL in the future and considers our system has been in violation of Part 5-1 of the New York Sanitary Code since 2018.

Chloride is commonly found in the environment, most often in the form of rock salt (sodium chloride) or other salts. It can also be present in the environment as a result of human activity. For example, chloride can become elevated in drinking water from releases to the environment of road de-icing salts, inorganic fertilizers, landfill leachates, and industrial wastewater. Treatment of drinking water with chlorine or chloride can also increase the concentration of chloride in water.

Chloride is essential for good health. While exposure to high levels of certain chloride salts is associated with adverse health effects in humans, research has not conclusively demonstrated adverse effects in humans from exposure to chloride itself. For example, high dietary intake of sodium chloride can be a contributing factor to high blood pressure, but this has been mainly attributed to the presence of sodium. The New York standard for chloride is 250 milligrams per liter, and is based on effects of chloride on the taste, odor and appearance of the water.

We are required to present the following information on lead in drinking water:

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Brinkerhoff Water District is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact CAMO Pollution Control Inc. (845) 463-7310. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <http://www.epa.gov/safewater/lead>.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2023 with exception of Chlorides, our water quality was in complete compliance with Health Department requirements. However, with Well #3 not in operation the system fails to meet the Health Department requirements of being able to meet peak system demands with the largest well out of service.

In 2016 the Town of Fishkill enacted local law for cross-connection control. This law enabled the Town to implement a program to prevent possible contamination through distribution connections.

Currently there is no storage tank at this facility. The Health Department is requiring a storage tank be incorporated into the system, as the regulations call for it. The Town Engineer is currently designing various alternatives to provide storage.

In 2018 the Town underwent a meter change out program. This will insure accurate and fair billings done efficiently. You will be contacted as it is necessary to gain access to your home.

There are parts of the distribution system that pressures exceed 85 lbs. It is the homeowner's responsibility to maintain a pressure reducing valve if required. The newer version of these valves are not as robust as the older ones. When they fail water service can be depleted to the home or the homes over pressurized. It is plumbing code as well as critical that each home have a working shut off valve inside the home. This valve should be a ball valve. This valve can prevent flooding and water damage if there is plumbing issue within the home. Many times, the outside buried curb valves are not locatable or functioning and time consuming to operate.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- ◆ Saving water saves energy and some of the costs associated with both of these necessities of life;
- ◆ Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- ◆ Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential fire fighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- ◆ Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- ◆ Turn off the tap when brushing your teeth.
- ◆ Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- ◆ Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

SYSTEM IMPROVEMENTS

During 2023 the piping at the Well house was replaced. New disinfection system was installed, new Well pumps, motors and variable speed drives were installed. A new emergency standby generator and auto-transfer switch was installed.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements. We ask that all our customers help us protect our water sources, which are the heart of our community. Please call **CAMO Pollution Control, Inc. at (845) 463-7310** if you have questions.