


FIXTURE LEGEND:

- SURFACE MOUNTED CEILING LIGHT
- CEILING MOUNTED HANGING FAN / LIGHT
- HEAT LAMP UNIT WATERPROOF
- RECESSED CEILING LIGHT
- RECESSED CEILING LIGHT - WALL WASHER
- RECESSED CEILING LIGHT - WET LOCATIONS
- DECORATIVE WALL SCONCE
- DECORATIVE WALL MOUNTED LIGHT
- MIRROR TRACK LIGHT AS SELECTED BY OWNER
- BATHROOM FAN / LIGHT
- RG6 COAX RECEPTACLE
- 110V DUPLEX RECEPTACLE
- 110V DUPLEX RECEPTACLE - GFI PROTECTED
- 110V DUPLEX RECEPTACLE (SPLIT WIRED)
- 220V RECEPTACLE
- LIGHT SWITCH
- LIGHT SWITCH 3-way
- DIMMER
- Smoke Detector w/ Battery Back-Up
- Carbon Monoxide Det w/ Battery Back-Up

NOTE:
 PROVIDE NEW SMOKE AND CARBON MONOXIDE DETECTORS IN ACCORDANCE WITH CONNECTICUT STATE RESIDENTIAL BUILDING CODE. SMOKE AND CARBON MONOXIDE DETECTORS SHALL BE HARD WIRED INTO BUILDING ELECTRICAL SYSTEM AND SHALL BE INTERCONNECTED WHERE ACTIVATION OF ONE UNIT WILL RESULT IN AN AUDIBLE ALARM IN ALL OTHER UNITS.

RCP NOTES:

1. HOMEOWNER TO SUPPLY ELECTRICAL FIXTURE TO CONTRACTOR FOR INSTALLATION.
2. CONTRACTOR TO COORDINATE ADDITIONAL RECEPTACLES REQUIRED FOR EQUIPMENT NOT SHOWN ON PLANS (EX.: FURNACE, WELL, AIR HANDLERS, COMPRESSORS, LANDSCAPE LIGHTING, ATTIC LIGHTING, ETC..)
3. HEIGHTS:
 GENERAL RECEPTACLE: HORIZONTAL CENTER IN FLAT OF BASEBOARD UNLESS NOTED OTHERWISE
 COUNTER RECEPTACLE: 44" AFF
 SWITCHES: 48" AFF
4. ALL ELECTRICAL CIRCUITS TO BEDROOMS TO BE ARC FAULT PROTECTED.
5. ALL RECESSED LIGHTING FIXTURE HOUSINGS TO BE 4" INSULATED CEILING 'AIR-TITE' RECESSED HOUSING - MODEL # E1400AT BY HALO LIGHTING.
6. AT LEAST ONE ELECTRICAL OUTLET TO BE INSTALLED ON BALCONY, DECK, OR PORCH OF ANY SIZE.
7. FOYERS > 60 SQ. FT. REQUIRES TO HAVE RECEPTACLES IN EACH WALL 3 FT. OR GREATER IN LENGTH.
8. ALL RECEPTACLES WITHIN 6 FT. OF A TUB OR SHOWER SHALL BE GFCI PROTECTED.
9. ALL RECEPTACLES IN LAUNDRY AREAS SHALL BE GFCI PROTECTED.
10. OUTLETS THAT SUPPLY KITCHEN DISHWASHER CIRCUITS SHALL BE GFCI PROTECTED.
11. AFCI PROTECTION REQUIRED FOR ALL 15 AND 20 AMP BRANCH CIRCUITS SUPPLYING OUTLETS.



MAG DESIGNS
 982 MAIN STREET, SUITE 4-116
 FISHKILL, N.Y. 12524
 P. (845) 440-3384 F. (845) 440-3359

I am a holder of the law for my practice, unless and only under the direction of a licensed professional, to plan and design for any use. I am not holding the seal of a licensed professional or the license of a design professional. I am not a holder of the seal of a licensed professional or the license of a design professional. I am not a holder of the seal of a licensed professional or the license of a design professional.



Village Pancake Factory
1099 Route 9
Fishkill, NY 12524
MAIN LEVEL ELECTRICAL & LIGHTING PLAN - RESTAURANT

REVISIONS

NO.	DATE	REVISIONS
1	7/20/2025	SITE PLANNING BOARD REVISIONS
2	10/20/2025	SITE PLANNING BOARD REVISIONS

COPYRIGHT:
 MAG Design Architectural represents the common law copyright and other proprietary rights in these plans. These plans shall be reproduced in any form or manner, not in whole or in part, without the written consent of MAG Design. MAG Design shall not be held liable for any errors or omissions in these plans. All dimensions, including but not limited to, shall be double checked and verified by the architect or engineer before construction.

File:
 Date: 6/12/25 Job: 2501
 Scale: 1/4" = 1'-0"

