

Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 001

Existing Sign Type: Monument

Face Material:

Material: Vinyl

Overall Height: 5'-5"

Face Height: 3'-3"

Face Width: 6'-9"

Illuminated: Illuminated

Electrical:

Wall Material:

Sign Comment: Double sided

Proposed

Asset Type: Exterior

Sign Number: EXT - 001

Sign Type: B1ng

Description: 5.5' Monument

Action: Remove and Replace

Comments:

Restoration

Notes:

Field verification is required for all ground signs to ensure that the recommended sign will fit in the recommended location, taking into account all set-backs, obstructions, underground utilities, etc. If a problem is detected by the field verification, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing. Install new signage using existing primary electrical. Verify if additional circuits are required for new sign. Restore ground material to base of new sign.

Overall Height: 5.5'


Overall Width: 7'-8"

Logo Height:

Letter Height: 5"

Illuminated: Illuminated

Reusing the existing foundation if possible.



NOTES:
 ALL STEEL BELOW GRADE (INCLUDING EXPOSED ANCHOR BOLTS) SHALL BE COATED WITH CARBOLINE BITUMASTIC 50 COAL TAR OR EQUAL AFTER INSTALLATION AND PRIOR TO LANDSCAPING.
 MATERIAL SPECIFICATIONS:
 (UNLESS OTHERWISE NOTED)
 CONCRETE - 2500 PSI
 VERTICAL SLAB - (119 CUBIC YARDS)
 REINFORCING - GRADE 60 W/ 3" MIN. COVER
 DO NOT WELD REBAR

1 FOUNDATION
 3/4" = 1' - 0"



Project Title
 BANK OF AMERICA

Date 02.13.19

AGI EOR M. SMITH
 Lead Designer DLR
 Drawn By KKJ
 Project Mgr. D. STRIPLING

General Sign Specifications

- Interior Exterior
- Single Faced Double Faced
- Non-Illuminated Illuminated
- Volts _____ Amps(+/-)

Location
 Windspeed - 150 MPH/IBC 2012

Drawing Revisions		
Drawn By	Date	Change
DLR	05.15.19	CHANGED RED VINYL CALLOUT, MOVED DISCONNECT SWITCH & U.L. LABEL UPDATED LENS ROUTING INSTRUCTIONS
TLW	08.29.19	UPDATED LED LAYOUT

This document is the sole property of Architectural Graphics International, Inc. It is to be used only for the project and site specifically identified herein. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Architectural Graphics International, Inc. The user of this document shall be held responsible for any damage or loss of any person, object, or property that may result from the use of this document. The user shall be held responsible for any damage or loss of any person, object, or property that may result from the use of this document. The user shall be held responsible for any damage or loss of any person, object, or property that may result from the use of this document.

2635 International Pkwy,
 Virginia Beach, VA 23062

Code 34765
 Sign Type B1ng
 Type A
 PG. # 10


BANK OF AMERICA




Site Number: NY-6-255-FC
Site Name: Wappingers Falls
Address: 1469 Route 9
City/State: Wappingers Falls, NY 12590-4969

Recommendation Completed: 10-18-2024
Approved: 10-28-2024
Date Print: 05/01/2025

Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 003a

Existing Sign Type: New

Proposed

Asset Type: Exterior

Sign Number: EXT - 003a

Sign Type: GCCS-2ng

Description: 8 3/4" Stacked Format - Color Day/Color Night - Channel Letters

Action: New

Overall Height: 3-9 7/8"

Overall Width: 11'-4 7/8"

Logo Height: 8 3/4"

Letter Height: 8 3/4"

Illuminated: Yes

Face Material:

Graphics Material:

Overall Height:

Face Height:

Face Width:

Illuminated:

Electrical:

Wall Material:

Sign Comment:


Comments: Recommend installing new set of channel letters as shown in proposed image to increase visibility and brand presence. See site plan for further clarification on location. Install sign at same height as GWCS-2ng recommended in EXT - 002a.
Restoration Notes: New electrical work required. Field verify available circuits and access prior to fabrication. Field verify dimensions of the sign & surrounding space shown in the proposed image. If the field verification indicates that the sign will not fit, or may appear substantially different than the proportions shown in the proposed image, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing.

SignChar® and Recommendation Book Legal Disclaimer Certain information and content in SignChar® is developed under a Design Services Agreement between Maven and its clients. This original and unpublished design, including all concepts, details, and information, is proprietary to Maven and may not be reproduced, copied, or used beyond the specific project and client for which it was created without prior authorization. The information provided is for design intent only and serves as a guide for final sizes, appearances, and functions. It is not a substitute for engineered design. The Sign Vendor is solely responsible for all structural, electrical, mechanical, and foundation engineering, ensuring compliance with local, state, national, ADA, and other applicable codes. This content is not produced under an architectural services agreement. The Sign Vendor must conduct a technical audit of all site conditions to verify that signs can be permitted, approved by the landlord (if applicable), and properly installed in the intended location. Vendors must confirm all dimensions, fit, electrical servicing, mounting conditions, and regulatory compliance before fabrication. Prior to manufacturing any new sign, the Sign Vendor must ensure that the proposed sign aligns with the provided visual representation (photo morph or rendering). Sign types, descriptions, and dimensions in SignChar® serve as general guidelines for initial design approval, pricing, and planning. They are not final build sizes unless verified by the vendor. If an installed sign does not match the approved visual representation, the Sign Vendor is responsible for replacement at their cost. © 2025 Maven. All rights reserved.

MAVEN



- NOTES:
 1. RACEWAY COLOR TO BE PAINTED PER PM
 2. ART LOCATION: CA\AGI PDM\Customers\Bank of America\A GI ART
 3. LED LOCATION: X:\Bank of America Retail\2024 NX\ Retail LED Layout\Channel Letter White LED Raceway Stacked

REVISIONS			
REV / DR NUMBER	REV CHANGE	DATE	DRAFTER
C	-	6/12/2025	JAM
D	96689	9/8/2025	JAM
	UPDATE RACEWAY LENGTHS - P.G. 1		
	UPDATED LED LAYOUT LOCATION		



BANK OF AMERICA

F1 V2



VINYL	
V1	3M 3630-2413 W/ 3M 3660M OVERLAMINATE
V2	3M 3630-8330 W/ 3M 3660M OVERLAMINATE
V3	3M 3630-20 W/ 3M 3660M OVERLAMINATE



LETTER AND CAB RETURNS	
R1	COLOR 109 LT. GRAY
R2	COLOR 119 DARK GRAY

LETTER/CAB FACE	
F1	CL FACES PLASKOLITE #2406 LD
F2	WHITE PLASKOLITE #7328 LD
F3	PUSH THRU (RED) PLASKOLITE RED FUSION
F4	PUSH THRU (BLUE) PLASKOLITE BLUE FUSION


Program/Customer: BANK OF AMERICA			
Interior/Exterior:	EXTERIOR		
Sign Type:	LETTERS, CHANNEL	Transmission: RW STACKED CHANNEL LETTERS	
Engineer:	Matt Smith	Form Number: BOA-CGS-FHX	
Windspeed:	150 MPH	SCALE: 1/2" = 1'-0"	
Illustration:	ILLUMINATED	SH. 1 OF 5	
Voltage:	120V		

NOTES:
1. CHANNEL LETTER FILE NAME: **BOA-GCCSrx**

REVISONS		DATE	DRAWER
REV	DR NUMBER	REV CHANGE	
C	-	UPDATE RACEWAY LENGTHS - PG 1	JAM
D	96689	UPDATED LED LAYOUT LOCATION	JAM



RACEWAY @ LETTER SECTION



THE LETTER 'K' IS TO BE FABRICATED IN 2 SEPARATE ELEMENTS AND KISSED TOGETHER @ POINT

Program/Client:		BANK OF AMERICA	
Interior/Exterior:		EXTERIOR	
Sign Type:		LETTERS, CHANNEL	
Engineer:		MCH Smith	
Windspeed:		150 MPH	
Illumination:		ILLUMINATED	
Voltage:		120V	SCALE 3/8" = 1'-0"



MOUNTING HARDWARE CHART

Hardware	MASONRY	WOOD	METAL / EIFS
1/4" FING HARD STEEL THREADED ROD THRU WALL	●	●	●
1/4" LAG W/ SHIELDS	●		
1/4" LAG BOLTS		●	
1/4" TOGGLE BOLTS			●

NOTE:
1. THREADED ROD WILL BE PROVIDED STANDED.
- ALL OTHER HARDWARE IS TO BE PROVIDED BY THE INSTALLER AS REQ'D.
2. DESIGN INTENDED FOR NO GREATER THAN 150 MPH WINDSPEED - HIGHER ELEVATION REQUIRE REVIEW.


BANK OF AMERICA



Site Number: NY-6-255-F-C
Site Name: Wappingers Falls
Address: 1469 Route 9
City/State: Wappingers Falls, NY 12590-4969

Recommendation Completed: 10-18-2024
Approved: 10-28-2024
Date Print: 05/01/2025

Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 002a

Existing Sign Type: New

Face Material:

Graphics

Material:

Overall Height:

Face Height:

Face Width:

Illuminated:

Electrical:

Wall Material:

Sign Comment:

Proposed

Asset Type: Exterior

Sign Number: EXT - 002a

Sign Type: GWCS-2ng

Description: 8 3/4" Stacked Format - White Day/Color Night with Silver Returns - Channel Letters

Action: New

Comments: Recommend installing new set of channel letters as shown in proposed image to increase visibility and brand presence. See site plan for further clarification on location.

Restoration

Notes:

New electrical work required. Field verify available circuits and access prior to fabrication. Field verify dimensions of the sign & surrounding space shown in the proposed image. If the field verification indicates that the sign will not fit, or may appear substantially different than the proportions shown in the proposed image, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing.

Overall Height: 3-9 7/8"

Overall Width: 11'-4 7/8"


Logo Height:

Letter Height: 8 3/4"

Illuminated: Yes

- NOTES:
1. RACEWAY COLOR TO BE PAINTED PER PM
 2. ART LOCATION: C:\AGI PDM\Customers\Bank of America\AGI Art
 3. LED LOCATION: X:\Bank of America Retail\2024 NX\ Retail LED Layout\Channel Letter White LED\ Raceway Stacked

REV	DR NUMBER	REV CHANGE	DATE	DRAFTER
C	-	UPDATE RACEWAY LENGTHS - PG 1	6/12/2025	JAM
D	96689	UPDATED LED LAYOUT LOCATION	9/8/2025	JAM



BANK OF AMERICA

	VINYL
V1	3M 3630-2413 W/ 3M 3660M OVERLAMINATE
V2	3M 3630-8530 W/ 3M 3660M OVERLAMINATE
V3	3M 3630-20 W/ 3M 3660M OVERLAMINATE

	LETTER AND CAB RETURNS
R1	COLOR 109 LI. GRAY
R2	COLOR 119 DARK GRAY

	LETTER/CAB FACE
F1	CL FACES PLASKOLITE #2406 LD
F2	WHITE PLASKOLITE #7328 LD
F3	TRANSLUCENT PUSH THRU (RED) PLASKOLITE RED FUSION
F4	PUSH THRU (BLUE) PLASKOLITE BLUE FUSION

Program/Customer:
BANK OF AMERICA



Interior/Exterior:	EXTERIOR
Sign Type:	LETTERS, CHANNEL
Engineer:	Matt Smith
Windspeed:	150 MPH
Illumination:	ILLUMINATED
Voltage:	120V
SCALE:	1/2" = 1'-0"

AGI
Retail
RIV STACKED CHANNEL LETTERS

BOA-GCCS-RM

NOTES:
1. CHANNEL LETTER FILE NAME: BOA-GCCSRX


REVISIONS			
REV	IDR NUMBER	REVISION	DATE
C	-	UPDATE RACEWAY LENGTHS - PG 1	6/12/2025
D	96689	UPDATED LED LAYOUT LOCATION	9/8/2025



MOUNTING HARDWARE CHART

DESCRIPTION	MASONRY	WOOD	METAL / EHS
1/4\"/>	●	●	●
1/4\"/>	●	●	●
1/4\"/>	●	●	●

NOTE:
1) THREAD/ID ROD WILL BE PROVIDED STANDARD.
- ALL OTHER HARDWARE IS TO BE PROVIDED BY THE INSTALLER AS REQ'D.
2) DESIGN INTENDED FOR NO GREATER THAN 3RD STORY MOUNTING - HIGHER ELEVATION REQUIRE REVIEW.



Program/Customer:		BANK OF AMERICA
Interior/Exterior:	EXTERIOR	
Sign type:	LETTERS, CHANNEL	
Engineer:	Matt Smith	
Windspeed:	150 MPH	
Illumination:	ILLUMINATED	
Voltage:	120V	SCALE: 3/8" = 1'-0"




BANK OF AMERICA



Site Name: Wappingers Falls
Address: 1469 Route 9
City/State: Wappingers Falls, NY 12590-4969

Recommendation Completed: 10-18-2024
Approved: 10-28-2024
Date Print: 05/01/2025

Existing Photo



Proposed Photo



Standard DOT sign

Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 014

Existing Sign Type: Regulatory - DOT

Proposed

Asset Type: Exterior

Sign Number: EXT - 014

Sign Type: Z-DOT-3

Description: Standard DOT "Do Not Enter" sign

Action: Remove and Replace

Overall Height:

Overall Width:

Logo Height:

Letter Height:

Illuminated: No

Face Material:

Graphics Material:

Material:

Overall Height:

Face Height:

Face Width:

Illuminated:

Electrical:

Wall Material:

Sign Comment:

Notes: Field verification is required for all ground signs to ensure that the recommended sign will fit in the recommended location, taking into account all set-backs, obstructions, underground utilities, etc. If a problem is detected by the field verification, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing. Remove and replace pole. Restore ground material to base of new sign. Verify copy w/ bank prior to fabrication. Fabricator to verify if secondary copy is required on sign face (i.e. legal, towing, city ordinances or code information.)

BANK OF AMERICA



Site Number: NY6-255-FC

Site Name: Wappingers Falls

Address: 1469 Route 9

City/State: Wappingers Falls, NY 12590-4969

Recommendation Completed: 10-18-2024

Approved: 10-28-2024

Date Print: 05/01/2025

Existing Photo



Proposed Photo

Clearance 11ft. 6in.

Clearance 11ft. 6in.
Sample Copy Only
Confirm Clearance Height

Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 006

Existing Sign Type: Regulatory Sign

Face Material:

Material: Vinyl

Overall Height: 11'-1" est

Face Height: 8" est

Face Width: 4' est

Illuminated: Non Illuminated

Electrical:

Wall Material:

Sign Comment: Right clearance sign

Proposed

Asset Type: Exterior

Sign Number: EXT - 006

Sign Type: SS1ng

Description: Canopy Mounted Regulatory - "Clearance"

Action: Remove and Replace

Comments:

Restoration

Notes:

Install centered between both active ATM lanes. Ensure all canopy signage is installed at the same height. Patch and repair existing wall surface to like new condition. For brick or stone walls fill holes with matching silicone. Repair to match existing color finish. Measure and verify clearance height prior to fabrication - deduct 2" from actual height for sign copy. Field verify dimensions of the sign & surrounding space shown in the proposed image. If the field verification indicates that the sign will not fit, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing.

Overall Height: 7 3/4"

Overall Width: 4'-5 1/2"

Logo Height:

Letter Height: 4"

Illuminated: Non

Illuminated


SignChar® and Recommendation Book Legal Disclaimer Certain information and content in SignChar® is developed under a Design Services Agreement between Maven and its clients. This original and unpublished design, including all concepts, details, and information, is proprietary to Maven and may not be reproduced, copied, or used beyond the specific project and client for which it was created without prior authorization. The information provided is for design intent only and serves as a guide for final sizes, appearances, and functions. It is not a substitute for engineered design. The Sign Vendor is solely responsible for all structural, electrical, mechanical, and foundation engineering, ensuring compliance with local, state, national, ADA, and other applicable codes. This content is not produced under an architectural services agreement. The Sign Vendor must conduct a technical audit of all site conditions to verify that signs can be permitted, approved by the landlord (if applicable), and properly installed in the intended location. Vendors must confirm all dimensions, fit, electrical servicing, mounting conditions, and regulatory compliance before fabrication. Prior to manufacturing any new sign, the Sign Vendor must ensure that the proposed sign aligns with the provided visual representation (photo morph or rendering). Sign types, descriptions, and dimensions in SignChar® serve as general guidelines for initial design approval, pricing, and planning. They are not final build sizes unless verified by the vendor. If an installed sign does not match the approved visual representation, the Sign Vendor is responsible for replacement at their cost. © 2025 Maven. All rights reserved.

MAVEN

Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 007

Existing Sign Type: Regulatory Sign

Face Material: Vinyl

Material: Vinyl

Overall Height: 11'-1" est

Face Height: 8" est

Face Width: 4' est

Illuminated: Non Illuminated

Electrical:

Wall Material:

Sign Comment: Right "Drive-up ATM" sign

Proposed

Asset Type: Exterior

Sign Number: EXT - 007

Sign Type: SS3-DTng

Description: Canopy Mounted Regulatory - "Drive-thru ATM"

Action: Remove and Replace

Comments: Install centered over right canopy lane. Ensure all canopy signage is installed at the same height.

Restoration

Notes:

Patch and repair existing wall surface to like new condition. For brick or stone walls fill holes with matching silicone. Repaint to match existing color finish. Verify copy w/ bank prior to fabrication Fabricator to verify if secondary copy is required on sign face (i.e. legal, towing, city ordinances or code information.) Field verify dimensions of the sign & surrounding space shown in the proposed image. If the field verification indicates that the sign will not fit, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing.

Overall Height: 7 3/4"

Overall Width: 4-5 1/2"


Logo Height:

Letter Height: 4"


Illuminated: Non

Illuminated

Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 008

Existing Sign Type: Regulatory Sign

Face Material:

Material: Vinyl

Overall Height: 11'-1" est

Face Height: 8" est

Face Width: 4' est

Illuminated: Non Illuminated

Electrical:

Wall Material:

Sign Comment: Left "Do Not Enter" sign

Proposed

Asset Type: Exterior

Sign Number: EXT - 008

Sign Type: SS2ng

Description: Canopy Mounted Regulatory - "Do Not Enter"

Action: Remove and Replace

Comments: Ensure all canopy signage is installed at the same height.

Restoration

Notes:

Patch and repair existing wall surface to like new condition. For brick or stone walls fill holes with matching silicone. Repaint to match existing color finish. Verify copy w/ bank prior to fabrication Fabricator to verify if secondary copy is required on sign face (i.e. legal, towing, city ordinances or code information.) Field verify dimensions of the sign & surrounding space shown in the proposed image. If the field verification indicates that the sign will not fit, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing.

Overall Height: 7 3/4"

Overall Width: 4-5 1/2"

Logo Height:


Letter Height: 4"

Illuminated: Non


Illuminated



Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 009

Existing Sign Type: Regulatory Sign

Face Material: Vinyl

Overall Height: 11'-1" est

Face Height: 8' est

Face Width: 4' est

Illuminated: Non Illuminated

Electrical: Non Illuminated

Wall Material: Vinyl

Sign Comment: Right "Do Not Enter" sign

Proposed

Asset Type: Exterior

Sign Number: EXT - 009

Sign Type: SS2ng

Description: Canopy Mounted Regulatory - "Do Not Enter"

Action: Remove and Replace

Comments: Ensure all canopy signage is installed at the same height.

Restoration

Notes:

Patch and repair existing wall surface to like new condition. For brick or stone walls fill holes with matching silicone. Repaint to match existing color finish. Verify copy w/ bank prior to fabrication Fabricator to verify if secondary copy is required on sign face (i.e. legal, towing, city ordinances or code information.) Field verify dimensions of the sign & surrounding space shown in the proposed image. If the field verification indicates that the sign will not fit, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing.

Overall Height: 7 3/4"

Overall Width: 4-5 1/2"

Logo Height:


Letter Height: 4"

Illuminated: Non


Illuminated



Existing Photo



Proposed Photo



Existing

Asset Zone: Sign

Asset Type: Exterior

Sign Number: EXT - 010

Existing Sign Type: Directional Sign

Face Material: Vinyl

Overall Height: 3'-6"

Face Height: 1'-3"

Face Width: 2'-6"

Illuminated: Non Illuminated

Electrical:

Wall Material:

Sign Comment:

Proposed

Asset Type: Exterior

Sign Number: EXT - 010

Sign Type: P1ng

Description: 3' Directional

Action: Remove and Replace

Overall Height: 3'

Overall Width: 2'-6"

Logo Height:

Letter Height:

Illuminated: Non

Illuminated

Comments: Match preferred copy as shown in proposed image. Recommend installing directional sign away from "Do Not Enter" DOT sign recommended to be replaced in EXT - 014 to ensure side B is visible. See site plan for further clarification on location.

Restoration

Notes: Field verification is required for all ground signs to ensure that the recommended sign will fit in the recommended location, taking into account all set-backs, obstructions, underground utilities, etc. If a problem is detected by the field verification, an IFR should be submitted for modification by Monigle Associates prior to any manufacturing. Restore ground material to base of new sign. Reference the Wayfinding Guide for standard approved copy heights, layouts, and specifications and be sure to match the visual appearance shown in the proposed image layout.

